

THERMITE™



TEXTRON Systems



Thermite Sales | 985.661.3372 | firesales@howeandhowe.com
1010 Gause Blvd., Slidell, LA 70458

Thank you for your interest in Thermite. Please review our standard equipment list and select the appropriate options to receive a detailed quote.

CONTACT NAME _____

DATE _____

COMPANY/ORGANIZATION _____

ADDRESS _____
CITY, STATE, ZIP

PHONE _____

E-MAIL _____

MODEL INTEREST:

RS1 Quantity _____

RS3 Quantity _____

Please submit completed forms via e-mail.

Thermite Sales | 985.661.3372 | firesales@howeandhowe.com

1010 Gause Blvd., Slidell, LA 70458

Thank you and we look forward to your response!

TEXTRON Systems



THERMITE RS1

STANDARD EQUIPMENT

CHASSIS

- > Aluminum chassis
- > Chassis color: yellow
- > Base height 64 in
- > Base width 44 in
- > Base length 72 in
- > Hydrostatic drive
- > Diesel engine 24 hp liquid cooled Kohler
- > 12 volt DC 30 AMP alternator
- > Battery maintainer included
 - Input voltage 110 to 250 VAC 50/60 hz
- > Maximum speed 8 mph
- > Fuel tank 9 gal
- > Winch 5,000 lb
- > Rear hitch
- > Tool/cargo crib
- > Locking canopy

ELECTRONICS

- > Radio control - belly pack control with video screen
- > Video System
 - Tethered control included
 - Tethered maximum distance 100 ft
 - High definition standard (1,080p) front
 - High definition standard (1,080p) rear

MONITOR

- > Elkhart Brass 7,200 Cobra EXM Remote monitor nozzle 1,000-1,250 gpm

LIGHTING

- > Front
- > Rear
- > Emergency flasher, dual color

PLUMBING

- > Inlet line size 3" NPT (qty 2)
- > Aux take-off 2.5" NPT (qty 2)
- > Self-cooling spray system
- > Bumper sprayers

AVAILABLE OPTIONS

** Included with standard pricing

CHASSIS COLOR

Yellow**
Red
Other

Specify color

EMERGENCY FLASHERS

- > Two flashers**
Dual color

Specify colors

- > Two additional flashers
Dual color

Specify colors

PLUMBING

- > Aux take-off
2.5" NPT**
3" NPT
Other

Specify type/size

- > Inlet type/size
3" NPT**
2.5" NPT
Other

Specify type/size

REMOTE SHUT OFF VALVE

No**
Yes

VIDEO SYSTEM

Front/rear rigid mounted camera**

Additional monitor mounted camera

Thermal camera - special licensing may be required

THERMITE RS3

STANDARD EQUIPMENT

CHASSIS

- > Steel chassis
- > Chassis color: yellow
- > Base height 48.5 in
- > Base width 65.5 in
- > Base length 91.5 in
- > Hydrostatic drive
- > Diesel engine 37 hp liquid cooled Yanmar
- > 12 volt DC 45 AMP alternator
- > Battery maintainer included
 - Input voltage 110 to 250 VAC 50/60 hz
- > Maximum speed 8 mph
- > Fuel tank 8 gal
- > Winch 8,000 lb
- > Rear hitch
- > Dual tool/cargo crib
- > Locking canopy

ELECTRONICS

- > Radio control - belly pack control with video screen
 - Tethered control included
 - Tethered maximum distance 100 ft
- > Video System
 - High definition standard (1,080p) front
 - High definition standard (1,080p) rear

MONITOR

- > Elkhart Brass 7,400 Scorpion EXM Remote monitor nozzle 2,500 gpm

LIGHTING

- > Front
- > Rear
- > Emergency flasher, dual color

PLUMBING

- > Bumper sprayers
- > Inlet Line Size (qty 7)
 - Seven 3" NPT
- > Remote auxiliary water outlet
- > Remote water valve
- > Self-cooling spray system

AVAILABLE OPTIONS

** Included with standard pricing

CHASSIS COLOR

- Yellow**
- Red
- Other

Specify color

EMERGENCY FLASHERS

- > Two flashers**
 - Dual color

Specify colors

- > Two additional flashers
 - Dual color

Specify colors

PLUMBING

- > Layout
 - Seven inlets**
 - Five inlets with two outlets
- > Inlet type/size
 - 3" NPT**
 - Other

Specify type/size

VIDEO SYSTEM

- Front/rear rigid mounted camera**
- Additional monitor mounted camera
- Thermal camera - special licensing may be required

VENTILATOR

- > Electric actuated raise/lower and tilt function
- > Water spray 62 gpm
- > Air flow 9,200 cfm
- > Height with ventilator attachment retracted (min clearance) 87.75 in
- > Height with ventilator attachment extended (max height) 110 in

V-PLow

- > Hydraulic actuated raise/lower function
- > Vehicle width 65.5 in
- > Overall vehicle length with plow assembly 115.5 in