

HOWE & HOWE TECHNOLOGIES

985.661.3372 | Firesales@howeandhowe.com



BIGDOG™ 2 Door

POC: _____

Date: _____

Company/Organization: _____

Address: _____

Phone: _____

E-Mail: _____

Vehicle Class Preference: _____

Thank you for your interest in Big Dog. Please review our standard 2- Door equipment list and make the appropriate selections for modifiable and add-on options to receive a detailed quote.

E-mail completed forms to **Firesales@howeandhowe.com**.
You may also send via fax (410-452-6104) or by mailing to the address below:

Howe & Howe Technologies
Attn: James Hall
1010 Gause Blvd.
Slidell, LA 70458

If you require assistance, please contact James Hall at
Firesales@howeandhowe.com or 985-661-3372.

Thank you and we look forward to your response!

Standard Equipment:

Chassis:

- **2-door**, International HV 507, 2303 Red
- Cruise Control
- Air Conditioning
- VDL (Vehicle Data Logger)
- Engine Exhaust Brake
- Allison 3000EVS_P Automatic Transmission
- Selectable 4 Wheel Drive with High and Low range Transfer Case
- Air Horns (Hood Mounted)
- Rear Sliding Window
- Heated Mirrors w/ Electronic Control
- 50 gal Polished Aluminum Fuel Tank
- Steering Stabilizer System
- In Cab Main Battery Disconnect Switch
- Quick Release Mud Flaps
- Heavy Duty Head Board
- 16,000 lbs. Front Axle
- 23,000 lbs. Single Rear Axle
- 38,200 GVWR
- Wheelbase: 195"
- L x W x H: 29' 9" x 8' 6" x 10' 6"

Skid Plates:

- Front Bumper to Front Axle
- Transmission and Transfer Case
- Fuel Tank, DEF Tank and Battery Box
- Engine Oil Pan
- Exhaust After Treatment

LED Lights:

- Work lights within compartments
- Ground Lights (360° coverage)
- Illuminate all work platforms and pump/valve area
- Front and Rear off-road LED bars
- Side facing work lights
- Mounted on front bumper

Tanks:

- Fabricated poly tanks
- Integrated 30 gallon foam tank
- Sight glass- water and foam tanks
- Hose Bed
- Top Fill
- Baffle walls
- Digital water level gauge in cab and on pump panel

Siren:

- Radio Rebroadcast Function
- Multifunction Controller with auxiliary switches
- Front-mounted speaker

Front/Rear Heavy Duty Bumpers:

- Black bed liner finish
- Front electric 15,500 lbs. winch
- Rear retractable bumper-(Stow Away)

Standard Equipment Continued:

Plumbing:

- Driver Side Rear intake port for hydrant connection and drafting
- Direct tank fill, 2.5" NH female fitting, stainless steel one-way valve
- Stainless Steel/Brass for all plumbing
- Y-Strainer w/ ball valve flush for water

Hose Reel:

- One electric retracting hose reel mounted on center rear of vehicle
- Rubber hose

Camera Systems:

- Rear backup
- Forward Turret Mounted
- Split Screen camera monitor

Toolboxes (Hinge Doors w/ Slam Latches and inside LED lights):

- Two (2) 36" x 18" x 18" (R&L under body)

Ground Sweeps:

- Independent R&L with controls in cab

Turret:

- Front bumper mounted
- Dual-position joystick control in cab

Workstations:

- 2 work stations behind cab
- Non-Skid crosswalk floor
- Two 1" x 60" hand-lines

Pump Options:

Hale HPX300-KBD24**

- Share fuel from trunk tanks
- Drafting Primer
- Separate Fuel Filter/Water Separator
- Foam System (Scotty 4171)
- Pump controls at pump and inside cab (start, stop, throttle and pressure gauges)
- [Pump Performance](#)

Custom Pump

- *Call for custom pump options

Available Options:

**Included within standard pricing.

Truck Color:

- Red White Black Fire yellow

Engine Power- L9 Cummins:

- 330 HP/1000 ft-lbs.torque** 350 HP/1000 ft-lbs. torque

Water Tank Size:

- 1,200 gal** 1,500 gal

Driver and Passenger Seating :

- Air Ride Seats with custom center console** Bench Seating

Reflective :

- Standard DOT and NFPA** Custom None (Not for U.S)

Front Bumper Winch:

- Steel Cable** Synthetic Rope

Siren:

- One (1) speaker mounted behind front winch**
 Dual speaker system (one front, one rear)

Outside of Tank:

- Textured tank surface**
 Smooth "wet side" (needed for wrapping or painting)
 Skirted sides of tank to match cab
 Aluminum treadplate skirting

Available Options:

** Included within standard pricing.

Warning Lights:

- Whelen single color light package (red)**
- Dual Color Specify Colors: _____ ex. Red/White
- Amber Traffic Advisory warning light Mounted location: _____

Hose Reels:

- 1" x 100' on rear of tank** 1.5" x 100' on rear of tank
- Hose reel quantity (max 2): _____ Mount location: _____

- Straight End** Pistol End

Hose Bed Cover:

- Canvas with 3 adjustable dividers** Aluminum Rolling Cover
- Steel Rolling Cover Anti-flack Straps

Front Turret:

Choose Brand: Task Force Tip "Tornado" ** Akron Elkhart

Heavy Duty Tires:

- 425/65R22.5 On/Off Road Super Singles with OEM Aluminum Wheels**
- 315/80R22.5 G751 On/Off Road Duals with OEM Aluminum Wheels
(Required with 1,500 gal water tank)

Available Options:

Axle:

- 30,000 lbs. Heavy Duty Single Rear Axle

Interior:

- Extra Interior Lighting
- PTT Headset (choose type below):
 - Wireless headsets Brand: _____ Qty: _____
 - Wired headset Brand: _____ Qty: _____ Location: _____
- Radio Install Options:
 - Customer Install
 - Factory Install (customer must provide radio)

Apparatus Body:

- Custom Logo (choose type below):
 - Reflective
 - Custom
- Aux 120-volt A/C System (1500-watt inverter)
- Auto Eject Battery maintainer System
- Auto Eject Air Compressor System (Shore Powered)
- Auto Eject Air System (External Air Source)
- Windshield Risers (nose to roof)

Rear High Volume Dump Gate:

- Manual
- Electric dump
- Swivel dump (not available with underbody pool storage)

Storage:

- In-Bed Tool Storage
- Store pick poles and hard suction
- One (1) 60" x 18" x 18" additional toolbox

Rear Bumper:

- Electric 15,500 lbs winch (choose type):
 - Steel cable
 - Synthetic rope

Accessory Equipment:

- Two (2) Headboard mounted adjustable and telescoping LED mast and scene lights
- Additional R & L rear workstations (access points are standard configuration)
- Chemical Barrel Holders Location: _____ Qty: _____
- Porta-Tank (Drop pool)- 2,100 gal
 - Under truck with complete roller mounted system
 - 1/2" polypropylene floor