

# HOWE & HOWE TECHNOLOGIES

985.661.3372 | Firesales@howeandhowe.com



## **BIG DOG™ 4 Door**

POC: \_\_\_\_\_

Date: \_\_\_\_\_

Company/Organization: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

Phone: \_\_\_\_\_

E-Mail: \_\_\_\_\_

Vehicle Class Preference: \_\_\_\_\_

Thank you for your interest in Big Dog. Please review our standard 4- Door equipment list and make the appropriate selections for modifiable and add-on options to receive a detailed quote.

E-mail completed forms to **Firesales@howeandhowe.com**.  
You may also send via fax (410-452-6104) or by mailing to the address below:

Howe & Howe Technologies  
Attn: James Hall  
1010 Gause Blvd.  
Slidell, LA 70458

If you require assistance, please contact James Hall at  
Firesales@howeandhowe.com or 985-661-3372.

Thank you and we look forward to your response!

## **Standard Equipment:**

### **Chassis:**

- **4-door**, International HV 507, 2303 Red
- Cruise Control
- Air Conditioning
- VDL (Vehicle Data Logger)
- Engine Exhaust Brake
- Allison 3000EVS\_P Automatic Transmission
- Selectable 4 Wheel Drive with High and Low range Transfer Case
- Air Horns (Hood Mounted)
- Rear Sliding Window
- Heated Mirrors w/ Electronic Control
- 50 gal Polished Aluminum Fuel Tank
- Steering Stabilizer System
- In Cab Main Battery Disconnect Switch
- Quick Release Mud Flaps
- Heavy Duty Head Board
- 16,000 lbs. Front Axle
- 23,000 lbs. Single Rear Axle
- 38,200 GVWR
- Wheelbase: 235"
- L x W x H: 32' 9" x 8' 6" x 10' 6"

### **Skid Plates:**

- Front Bumber to Front Axle
- Transmission and Transfer Case
- Fuel Tank, DEF Tank and Battery Box
- Engine Oil Pan
- Exhaust After Treatment

### **LED Lights:**

- Work lights within compartments
- Ground Lights (360° coverage)
- Illuminate all work platforms and pump/valve area
- Front and Rear off-road LED bars
- Side facing work lights
- Mounted on front bumper

### **Tanks:**

- Fabricated poly tanks
- Integrated 30 gallon foam tank
- Sight glass- water and foam tanks
- Hose Bed
- Top Fill
- Baffle walls
- Digital water level gauge in cab and on pump panel

### **Siren:**

- Radio Rebroadcast Function
- Multifunction Controller with auxiliary switches
- Front-mounted speaker

### **Front/Rear Heavy Duty Bumpers:**

- Black bed liner finish
- Front electric 15,500 lbs. winch
- Rear retractable bumper-(Stow Away)

## **Standard Equipment Continued:**

### **Plumbing:**

- Driver Side Rear intake port for hydrant connection and drafting
- Direct tank fill, 2.5" NH female fitting, stainless steel one-way valve
- Stainless Steel/Brass for all plumbing
- Y-Strainer w/ ball valve flush for water

### **Hose Reel:**

- One electric retracting hose reel mounted on center rear of vehicle
- Rubber hose

### **Camera Systems:**

- Rear backup
- Forward Turret Mounted
- Split Screen camera monitor

### **Toolboxes (Hinge Doors w/ Slam Latches and inside LED lights):**

- Two (2) 36" x 18" x 18" (R&L under body)

### **Ground Sweeps:**

- Independent R&L with controls in cab

### **Turret:**

- Front bumper mounted
- Dual-position joystick control in cab

### **Workstations:**

- 2 work stations behind cab
- Non-Skid crosswalk floor
- Two 1" x 60" hand-lines

### **Pump Options:**

#### Hale HPX300-KBD24\*\*

- Share fuel from trunk tanks
- Drafting Primer
- Separate Fuel Filter/Water Separator
- Foam System (Scotty 4171)
- Pump controls at pump and inside cab (start, stop, throttle and pressure gauges)
- [Pump Performance](#)

#### Custom Pump

- \*Call for custom pump options

## **Available Options:**

\*\*Included within standard pricing.

### **Truck Color:**

- Red     White     Black     Fire yellow

### **Engine Power- L9 Cummins:**

- 330 HP/1000 ft-lbs.torque\*\*     350 HP/1000 ft-lbs. torque

### **Water Tank Size:**

- 1,200 gal\*\*     1,500 gal

### **Driver and Passenger Seating :**

- Air Ride Seats with custom center console\*\*     Bench Seating

### **Reflective :**

- Standard DOT and NFPA\*\*     Custom     None (Not for U.S)

### **Front Bumper Winch:**

- Steel Cable\*\*     Synthetic Rope

### **Siren:**

- One (1) speaker mounted behind front winch\*\*  
 Dual speaker system (one front, one rear)

### **Outside of Tank:**

- Textured tank surface\*\*  
 Smooth "wet side" (needed for wrapping or painting)  
 Skirted sides of tank to match cab  
 Aluminum treadplate skirting

## **Available Options:**

\*\* Included within standard pricing.

### **Warning Lights:**

- Whelen single color light package (red)\*\*
- Dual Color      Specify Colors: \_\_\_\_\_ ex. Red/White
- Amber Traffic Advisory warning light      Mounted location: \_\_\_\_\_

### **Hose Reels:**

- 1" x 100' on rear of tank\*\*       1.5" x 100' on rear of tank
- Hose reel quantity (max 2): \_\_\_\_\_      Mount location: \_\_\_\_\_
  
- Straight End\*\*       Pistol End

### **Hose Bed Cover:**

- Canvas with 3 adjustable dividers\*\*       Aluminum Rolling Cover
- Steel Rolling Cover       Anti-flack Straps

### **Front Turret:**

Choose Brand:       Task Force Tip "Tornado" \*\*       Akron       Elkhart

### **Heavy Duty Tires:**

- 425/65R22.5 On/Off Road Super Singles with OEM Aluminum Wheels\*\*
- 315/80R22.5 G751 On/Off Road Duals with OEM Aluminum Wheels  
(Required for 1,500 gallon water tank)

## **Available Options:**

### **Axle:**

- 30,000 lbs. Heavy Duty Single Rear Axle

### **Interior:**

- Extra Interior Lighting
- PTT Headset (choose type below):
  - Wireless headsets Brand: \_\_\_\_\_ Qty: \_\_\_\_\_
  - Wired headset Brand: \_\_\_\_\_ Qty: \_\_\_\_\_ Location: \_\_\_\_\_
- Radio Install Options:
  - Customer Install
  - Factory Install (customer must provide radio)

### **Apparatus Body:**

- Custom Logo (choose type below):
  - Reflective
  - Custom
- Aux 120-volt A/C System (1500-watt inverter)
- Auto Eject Battery maintainer System
- Auto Eject Air Compressor System (Shore Powered)
- Auto Eject Air System (External Air Source)
- Windshield Risers (nose to roof)

### **Rear High Volume Dump Gate:**

- Manual
- Electric dump
- Swivel dump (not available with underbody pool storage)

### **Storage:**

- In-Bed Tool Storage
- Store pick poles and hard suction
- One (1) 60" x 18" x 18" additional toolbox

### **Rear Bumper:**

- Electric 15,500 lbs winch (choose type):
  - Steel cable
  - Synthetic rope

### **Accessory Equipment:**

- Two (2) Headboard mounted adjustable and telescoping LED mast and scene lights
- Additional R & L rear workstations (access points are standard configuration)
- Chemical Barrel Holders Location: \_\_\_\_\_ Qty: \_\_\_\_\_
- Porta-Tank (Drop pool)- 2,100 gal
  - Under truck with complete roller mounted system
  - 1/2" polypropylene floor